

MAGNUM HOBBY LINE

MAGNUM HOBBY LINE




MAGNUM HOBBY is a line of modern portable luminaires. With its many useful functions and numerous accessories, they can be successfully used wherever you need strong lighting, durable design and a number of enhancements that will make your work easier. MAGNUM HOBBY ensures maximum light flux and minimum energy consumption. Thanks to the exceptional efficiency of LEDs, the parameters are over 20% higher compared to fluorescent or halogen luminaires. MAGNUM HOBBY luminaires are characterised by a very long life – 50,000 hours.

my HOBBY is my LIFE
my LIFE is GREEN

Shape of luminaire bodies
HOBBY LINE is inspired by
the exceptionally durable palm
leaf. Vertical ribbing stiffens
and strengthens the structure
while minimising the weight,
it regulates the luminaire's
temperature and reduces the
residual moisture content on
the body.

Luminaires representing the
HOBBY family meet the highest
ecological standards. They are
equipped with modern durable and
energy-efficient LED panels.



MAGNUM HOBBY 32W




SELECTED TECHNICAL PARAMETERS:

Impact resistance: IK10
 Luminaire's luminous flux [lm]: 3600
 Nominal supply voltage [V]: 220-240
 Luminaire body material: PP
 Diffuser material: PC
 Diffuser type: frosted
 Cord: 3 m
 Dimensions (H/W/D) [mm]: 300/400/100


VARIANTS:

Power [W]	Colour temperature [K]	Luminous flux [lm]	Plug type	Socket type	Number of sockets	Protection class	Ingress protection	Index
32	4000	3600	DK	-	-	I	IP44	406430
32	4000	3600	DK	DK	1	I	IP44	406409
32	4000	3600	UNI-SCHUKO	-	-	II	IP54	406447
32	4000	3600	UNI-SCHUKO	PL-FR	1	I	IP54	406416
32	4000	3600	UNI-SCHUKO	SCHUKO	1	I	IP54	406423

ACCESSORIES:



Large stand
index: 016660



STANDARD STAND
index: 000720



FUTURE STAND
index: 000737

STRENGTH, IMPACT RESISTANCE AND TIGHTNESS

The body is made of a durable and flexible material that ensures the maximum level of impact resistance IK10. Thanks to this, the luminaire can be used in conditions conducive to mechanical damage (e.g. in workshops or on a construction site), and a fall from a small height does not incur any risk. MAGNUMHOBBY is also resistant to the harshest weather conditions and operates properly even in rain.

MAGNUM

HOBBY 50W/78W

HIGHEST QUALITY DIFFUSER

The diffuser is made of polycarbonate, which ensures maximum (80%) transmittance of visible light and near infrared light up to 1100 nm. It is resistant to a wide range of temperatures, and its transparency remains intact at temperatures from -30°C to +80°C. Thanks to the use of a frozen diffuser, the lamp designers have minimised the glare factor, which significantly enhances the comfort of work for MAGNUM HOBBY users.



SELECTED TECHNICAL PARAMETERS:

Impact resistance: IK10
 Nominal supply voltage [V]: 220-240
 Luminaire body material: PP
 Diffuser material: PC
 Diffuser type: frozen
 Dimensions (H/W/D) [mm]: 300/480/75

LIGHT STRUCTURE AND COMFORT OF USE

The weight of the luminaire, depending on the version, is only 2.6-3.4 kg. Thanks to the comfortable handle, it can be easily carried.

HANDY SMART SOLUTIONS

MAGNUM HOBBY can serve as an extension cord. Other electrical devices can be connected to the socket on the back of the body.

WIDE CONFIGURATION POSSIBILITIES


The direction of the light beam can be conveniently changed. The multi-position arm makes it easy to set the luminaire to any angle.

VARIANTS:

Power [W]	Colour temperature [K]	Luminous flux [lm]	Plug type	Socket type	Number of socket	Protection class	Ingress protection	Index
50	4000	5500	DK	-	-	I	IP44	406454
50	4000	5500	DK	DK	1	I	IP44	406461
50	4000	5500	UNI-SCHUKO	-	-	II	IP54	406492
50	4000	5500	UNI-SCHUKO	PL-FR	1	I	IP54	406478
50	4000	5500	UNI-SCHUKO	SCHUKO	1	I	IP54	406485

VARIANTS:

Power [W]	Colour temperature [K]	Luminous flux [lm]	Plug type	Socket type	Number of sockets	Protection class	Ingress protection	Index
78	4000	9500	DK	-	-	I	IP44	406508
78	4000	9500	DK	DK	1	I	IP44	406539
78	4000	9500	UNI-SCHUKO	-	-	II	IP54	406515
78	4000	9500	UNI-SCHUKO	PL-FR	1	I	IP54	406546
78	4000	9500	UNI-SCHUKO	SCHUKO	1	I	IP54	406522



MAGNUM **HOBBY LINE**