

Certificate of Compliance

Certificate Number(s):

UL-US-2580505-3

Report Reference:

E547627-20250813

Issue Date:

2026-03-24

Issued to:

Lena Lighting SA
Kornicka 52 street, Sroda Wlkp., 63-000, PL

This certificate confirms that representative samples of:
IFAM - Light-emitting-diode Surface-mounted Luminaires

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 1598, Edition 5, Issue Date 2021-03-26, Revision Date 2024-01-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-2580505-3
Report reference: E547627-20250813
Issue Date: 2026-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

LED Surface Mounted Luminaire

Model(s): TYTAN, : TITAN 2 LED HYPER x*, TITAN 2 LED HYPER MULTI x* *Where x can be suspended or surface and describes the mounting type.*

**Maybe followed by additional suffixes for finishing and other marketing purposes. Available in 2 length 1450 mm and 1150 mm.*

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-2559005-3

Report Reference:

E547627-20250813

Issue Date:

2026-03-24

Issued to:

Lena Lighting SA
Kornicka 52 street, Sroda Wlkp., 63-000, PL

This certificate confirms that representative samples of:
IFAM7 - Light-emitting-diode Surface-mounted Luminaires
Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 250.0:21, Edition 5, Issue Date 2021-03-26,
Revision Date 2024-01-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-2559005-3
Report reference: E547627-20250813
Issue Date: 2026-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

LED Surface Mounted Luminaire

Model(s): TYTAN, : TITAN 2 LED HYPER x*, TITAN 2 LED HYPER MULTI x* *Where x can be suspended or surface and describes the mounting type.*

**Maybe followed by additional suffixes for finishing and other marketing purposes. Available in 2 length 1450 mm and 1150 mm.*

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

