PROFILE LED

GENERAL FAMILY REGISTRATION CARD









Aluminum LED profiles are a versatile solution for creating modern linear lighting systems, combining aesthetics, functionality, and a wide range of design possibilities. The variety of shapes, mounting options, and available accessories allows you to tailor the lighting to the specific needs of your project—from subtle furniture accent lighting to elaborate architectural installations.

CHARACTERISTICS

LED profiles provide a functional and aesthetic foundation for building custom lighting fixtures. The aluminum construction allows for stable mounting of LED strips and aids in dissipating the heat they generate, which is essential for the proper operation of the lighting system.

A wide selection of surface-mounted, recessed, corner, and suspended profiles allows for the creation of both discreet decorative elements and striking light lines that emphasize the character of the interior.

The availability of various diffusers—ranging from transparent to frosted, opal, and lens-type—allows you to shape the light distribution and achieve an effect tailored to the project's objectives. The product line is complemented by dedicated end caps, mounting brackets, suspension straps, and connectors that enable the creation of cohesive lighting systems.The profiles are available in lengths of 1000, 2020, and 3000 mm and in various color options, including white, black, silver, stainless steel, and raw finishes, as well as gold for select models.

A Variety of Solutions

The product line includes seven types of profiles designed for various applications:

- Profile A – a versatile surface-mounted profile, ideal for decorative lighting of furniture and interiors, as well as in suspended installations.
- Profile B – a minimalist recessed profile that allows for discreet integration of lighting into the surface. It requires a cutout depth of just 9 mm.
- Profile C – a corner profile with an LED strip set at a 45° angle, ideal for backlighting the corners of furniture and built-in elements.
- Profile Y – a surface-mounted and suspended profile that allows for adjustment of the LED strip's position when used with the dedicated Y M1 mounting profile.
- W Profile – a recessed profile for lightweight ceiling and wall structures, providing an aesthetic finish without visible fasteners.
- SILEDA Profile – a surface-mounted or suspended profile designed for installing two LED strips and creating custom linear lighting systems.
- inSILEDA Profile – a recessed architectural profile for ceiling and wall applications, enabling the installation of two LED strips and the construction of continuous lighting systems using dedicated connectors.

APPLICATION

LED profiles are used for functional, decorative, and accent lighting. They are ideal for residential, office, and retail spaces, as well as HoReCa facilities.

They can be used to illuminate furniture, shelves, display cases, and countertops; create light lines on ceilings and walls; highlight architectural details; and build modern linear lighting systems.


The variety of available designs allows for the harmonious integration of light into virtually any interior—from minimalist residential spaces to elaborate commercial environments. LED profiles offer the freedom to design with light—from a single detail to comprehensive architectural solutions.

PROFILE LED


PROFILE A | GENERAL PRODUCT FAMILY

LED profile designed for surface mounting and a wide range of applications. It is ideal for decorative lighting in furniture and interior finishes, as well as for suspended installations in architectural spaces.


Cross-section and dimensions [mm]



MOUNTING METHODS








BENDING METHODS














LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (PAINTED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW	GOLD (PAINTED)
PROFILE COLORS						
1,0 m	10-0011-10	10-0012-10	10-0013-10	10-0014-10	10-0010-10	10-1666-10
2,02 m	10-0011-20	10-0012-20	10-0013-20	10-0014-20	10-0010-20	10-1666-20
3,0 m	10-0011-30	10-0012-30	10-0013-30	10-0014-30	10-0010-30	10-1666-30
LED STRIP WIDTH (mm)	up to 12					

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	LENS 15	LENS 30
BASIC								
									
1 m PMMA: 11-2213-10		1 m PMMA: 11-2212-10	1 m PMMA: 11-2211-10	1 m PMMA: 11-2216-10		1 m PMMA: 11-2217-10	1 m PMMA: 11-2060-10	1 m PMMA: 11-2080-10	
1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PC 2.0: 11-3532-10	1 m PC 2.0: 11-3531-10		1 m PC Fractal: 11-3211-10	1 m PC Fractal: 11-3347-10			1 m PC: 11-3620-10
HIGH									
									
1 m PMMA: 11-2053-10		1 m PMMA: 11-2052-10	1 m PMMA: 11-2051-10	1 m PMMA: 11-2056-10		1 m PMMA: 11-2057-10			

PROFILE LED

PROFILE A | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

	WITH HOLE					WITHOUT HOLE				
WHITE	BLACK	INOX	SILVER / GRAY	GOLD	WHITE	BLACK	INOX	SILVER / GRAY		
BASIC										
	ALU 12-0012-10		ALU 12-0015-10			ALU 12-0012-11		ALU 12-0015-11		
			ABS lacq. 12-0000-20					ABS lacq. 12-0000-34		
ABS 12-0011-00	ABS 12-0012-00	ABS 12-0013-00	ABS 12-0014-00	ABS 12-1719-00	ABS 12-0011-01	ABS 12-0012-01	ABS 12-0013-01	ABS 12-0014-01	ABS 12-1719-01	
HIGH										
	ALU 12-0022-10		ALU 12-0025-10			ALU 12-0022-11		ALU 12-0025-11		
			ABS lacq. 12-0000-33					ABS lacq. 12-0000-32		
ABS 12-0021-00	ABS 12-0022-00	ABS 12-0023-00	ABS 12-0024-00		ABS 12-0021-01	ABS 12-0022-01	ABS 12-0023-01	ABS 12-0024-01		

ACCESSORIES

METAL MOUNTING CLIP	WHITE	BLACK	SILVER	GOLD				
	13-0631-02	13-0772-02	13-0110-02	13-1036-02				
PLASTIC MOUNTING CLIP (MINI)	WHITE	BLACK	TRANSPARENT	GOLD				
	13-0021-00	13-0022-00	13-0023-00	13-0547-02				
PLASTIC MOUNTING CLIP	WHITE	BLACK	WHITE	BLACK	TRANSPARENT	PLASTIC MOUNTING CLIP (HIGH)	WHITE	BLACK
	13-0011-00	13-0012-00	13-0013-00		13-0031-00		13-0032-00	13-0033-00


OTHER ACCESSORIES

SUSPENSION KIT	WHITE	BLACK	SILVER				
	14-2075-00	14-2076-00	14-2011-02				
CABLE CLIP FOR Ø 5 mm CABLE	TRANSPARENT	BLACK	HINGE	TOUCHLESS SWITCH	TOUCHLESS SWITCH		
	14-7067-00	14-7067-02	14-6045-00		14-7052-00		


PROFILE LED

PROFILE B | GENERAL PRODUCT FAMILY

Cross-section and dimensions [mm]



Mounting methods



ACCESSORIES







TOUCHLESS SWITCH



14-7052-00








LED Profiles

Length (mm): 1000, 2020, 3000


	WHITE (PAINTED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW	GOLD (PAINTED)
PROFILE COLORS						
1,0 m	10-0021-10	10-0022-10	10-0023-10	10-0024-10	10-0020-10	10-1676-10
2,02 m	10-0021-20	10-0022-20	10-0023-20	10-0024-20	10-0020-20	10-1676-20
3,0 m	10-0021-30	10-0022-30	10-0023-30	10-0024-30	10-0020-30	10-1676-30
LED STRIP WIDTH (mm)	up to 12					

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	LENS 15	LENS 30
BASIC								
								
1 m PMMA: 11-2213-10		1 m PMMA: 11-2212-10	1 m PMMA: 11-2211-10	1 m PMMA: 11-2216-10		1 m PMMA: 11-2217-10	1 m PMMA: 11-2060-10	1 m PMMA: 11-2080-10
1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PC 2.0: 11-3532-10	1 m PC 2.0: 11-3531-10		1 m PC Fractal: 11-3211-10	1 m PC Fractal: 11-3347-10		

ASYMMETRIC LENS 45

BASIC

1 m PC: 11-3620-10

End caps (aluminum and plastic)


	FLAT FINISH					ROUND FINISH				
	WHITE	BLACK	INOX	SILVER / GRAY	GOLD	WHITE	BLACK	INOX	SILVER / GRAY	
										
						ALU 12-0032-10			ALU 12-0035-10	
				ABS lacq. 12-0000-35					ABS lacq. 12-0000-36	
	ABS 12-0151-00	ABS 12-0152-00	ABS 12-0153-00	ABS 12-0154-00	ABS 12-1729-00	ABS 12-0031-00	ABS 12-0032-00	ABS 12-0033-00	ABS 12-0034-00	ABS 12-1909-00

PROFILE LED


PROFILE C | GENERAL PRODUCT FAMILY

Surface-mounted corner LED profile with the LED strip positioned at a 45° angle. The groove on the back of the profile allows it to fit tightly against furniture corners or walls, even when surfaces are uneven. It can also conceal a small-diameter cable.

Cross-section and dimensions [mm]









Mounting methods











LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (PAINTED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW	GOLD (PAINTED)
PROFILE COLORS						
1,0 m	10-0031-10	10-0032-10	10-0033-10	10-0034-10	10-0030-10	10-1686-10
2,02 m	10-0031-20	10-0032-20	10-0033-20	10-0034-20	10-0030-20	10-1686-20
3,0 m	10-0031-30	10-0032-30	10-0033-30	10-0034-30	10-0030-30	10-1686-30
LED STRIP WIDTH (mm)	up to 12					

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	LENS 15	LENS 30
BASIC								
								
1 m PMMA: 11-2213-10		1 m PMMA: 11-2212-10	1 m PMMA: 11-2211-10	1 m PMMA: 11-2216-10		1 m PMMA: 11-2217-10	1 m PMMA: 11-2060-10	1 m PMMA: 11-2080-10
1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PC 2.0: 11-3532-10	1 m PC 2.0: 11-3531-10		1 m PC Fractal: 11-3211-10	1 m PC Fractal: 11-3347-10		


PROFILE LED

PROFILE C | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

			WITH HOLE					WITHOUT HOLE	
WHITE	BLACK	INOX	SILVER / GRAY	GOLD	WHITE	BLACK	INOX	SILVER / GRAY	GOLD
									
	ALU 12-0042-10		ALU 12-0045-10			ALU 12-0042-11		ALU 12-0045-11	
			ABS lacq. 12-0000-38					ABS lacq. 12-0000-37	
ABS 12-0041-00	ABS 12-0042-00	ABS 12-0043-00	ABS 12-0044-00	ABS 12-1739-00	ABS 12-0041-01	ABS 12-0042-01	ABS 12-0043-01	ABS 12-0044-01	ABS 12-1739-01

ACCESSORIES


METAL MOUNTING CLIP	WHITE	BLACK	SILVER	GOLD
				
	13-0641-02	13-0782-02	13-0120-02	13-1046-02
PLASTIC MOUNTING CLIP	WHITE	BLACK	TRANSPARENT	GOLD
				
	13-0041-00	13-0042-00	13-0043-00	13-0557-02
SUSPENSION KIT	WHITE	BLACK	SILVER	
				
	14-2075-00	14-2076-00	14-2011-02	
CABLE CLIP FOR Ø 5 mm CABLE	TRANSPARENT	BLACK	SILVER	
				
	14-7067-00	14-7067-02		
HINGE				
				
	14-6045-00			
TOUCHLESS SWITCH				
				
	14-7052-00			

PROFILE LED


PROFILE Y | GENERAL PRODUCT FAMILY

LED profile designed for surface mounting in furniture. It can also be used indoors in suspended installations as a decorative lighting element. The dedicated Y M1 mounting profile allows the LED strip height to be adjusted to achieve different light distribution angles.

Cross-section and dimensions [mm]









Mounting methods











LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (PAINTED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW	GOLD (PAINTED)
PROFILE COLORS						
1,0 m	10-0091-10	10-0092-10	10-0093-10	10-0094-10	10-0090-10	10-1736-10
2,02 m	10-0091-20	10-0092-20	10-0093-20	10-0094-20	10-0090-20	10-1736-20
3,0 m	10-0091-30	10-0092-30	10-0093-30	10-0094-30	10-0090-30	10-1736-30
LED STRIP WIDTH (mm)	up to 12					

Covers (PMMA/PC)





Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	LENS 15	LENS 30
BASIC								
								
1 m PMMA: 11-2213-10		1 m PMMA: 11-2212-10	1 m PMMA: 11-2211-10	1 m PMMA: 11-2216-10		1 m PMMA: 11-2217-10	1 m PMMA: 11-2060-10	1 m PMMA: 11-2080-10
1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PC 2.0: 11-3532-10	1 m PC 2.0: 11-3531-10		1 m PC Fractal: 11-3211-10	1 m PC Fractal: 11-3347-10		


PROFILE LED

PROFILE Y | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

WITH HOLE					WITHOUT HOLE				
WHITE	BLACK	INOX	SILVER / GRAY	GOLD	WHITE	BLACK	INOX	SILVER / GRAY	GOLD
									
	ALU 12-0092-10		ALU 12-0095-10			ALU 12-0092-11		ALU 12-0095-11	
			ABS lacq. 12-0000-48					ABS lacq. 12-0000-47	
ABS 12-0091-00	ABS 12-0092-00	ABS 12-0093-00	ABS 12-0094-00	ABS 12-1789-00	ABS 12-0091-01	ABS 12-0092-01	ABS 12-0093-01	ABS 12-0094-01	ABS 12-1789-01

ACCESSORIES

METAL MOUNTING CLIP	WHITE	BLACK	SILVER	GOLD	
					
	13-0671-02	13-0812-02	13-0170-02	13-1076-02	
PLASTIC MOUNTING CLIP	WHITE	BLACK	TRANSPARENT	GOLD	
					
	13-0081-00	13-0082-00	13-0083-00	13-0587-02	
SUSPENSION KIT	WHITE	BLACK	SILVER	TRANSPARENT	BLACK
				CABLE CLIP FOR Ø 5 mm CABLE	
	14-2075-00	14-2076-00	14-2011-02		14-7067-00
HINGE		Y M1 MOUNTING PROFILE		TOUCHLESS SWITCH	
					
	14-6045-00		1 m: 10-0674-10 2,02 m: 10-0674-20 3 m: 10-0674-30		14-7052-00


	14-7067-02
	

PROFILE LED


PROFILE W | GENERAL PRODUCT FAMILY

Recessed LED profile for lightweight structures, installed with mounting springs that provide quick, secure fitting and a clean integration with the ceiling or wall, with no visible mounting hardware. Suitable for continuous lines of light and subtle accent lighting in architectural spaces.

Cross-section and dimensions [mm]



Mounting methods










LED Profiles

Length (mm): 1000, 2020, 3000

PROFILE COLORS	WHITE (PAINTED)	BLACK (ANODIZED)	INOX (ANODIZED)	SILVER (ANODIZED)	RAW	ЈROWY
						
1,0 m	10-0701-10	10-0702-10	10-0703-10	10-0704-10	10-0700-10	
2,02 m	10-0701-20	10-0702-20	10-0703-20	10-0704-20	10-0700-20	
3,0 m	10-0701-30	10-0702-30	10-0703-30	10-0704-30	10-0700-30	
LED STRIP WIDTH (mm)	up to 12					

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	LENS 15	LENS 30
BASIC								
								
1 m PMMA: 11-2213-10		1 m PMMA: 11-2212-10	1 m PMMA: 11-2211-10	1 m PMMA: 11-2216-10		1 m PMMA: 11-2217-10	1 m PMMA: 11-2060-10	1 m PMMA: 11-2080-10
1 m PC 2.0: 11-3533-10	1 m PC Fractal: 11-3213-10	1 m PC 2.0: 11-3532-10	1 m PC 2.0: 11-3531-10		1 m PC Fractal: 11-3211-10	1 m PC Fractal: 11-3347-10		

PROFILE LED


PROFILE W | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

WITH HOLE			
WHITE	BLACK	INOX	SILVER / GRAY
			
	ALU 12-0072-10		ALU 12-0075-10
			ABS lacq. 12-0000-49
ABS 12-0071-00	ABS 12-0072-00	ABS 12-0073-00	ABS 12-0074-00

ACCESSORIES

STRAIGHT CONNECTOR	90° CORNER CONNECTOR	90° CORNER CONNECTOR (PERPENDICULAR)	120° CORNER CONNECTOR	135° CORNER CONNECTOR	3 x 120° CORNER CONNECTOR
					
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65


MOUNTING SPRING	TOUCHLESS SWITCH	Y M1 MOUNTING PROFILE
		
14-5001-00	14-7052-00	1 m: 10-0674-10
		2,02 m: 10-0674-20
		3 m: 10-0674-30

PROFILE LED


PROFILE SILEDA | GENERAL PRODUCT FAMILY

Surface-mounted profile for room lighting using two LED strips. It can be surface-mounted or suspended and provides an excellent base for custom LED fixtures, both single units and continuous linear lighting systems in a variety of shapes, created with dedicated connectors.

Cross-section and dimensions [mm]




Mounting methods










LED Profiles

Length (mm): 1000, 2020, 3000

PROFILE COLORS	WHITE (PAINTED)	BLACK (PAINTED)	SILVER (ANODIZED)
			
1,0 m	10-0331-10	10-0335-10	10-0334-10
2,02 m	10-0331-20	10-0335-20	10-0334-20
3,0 m	10-0331-30	10-0335-30	10-0334-30
LED STRIP WIDTH (mm)	2 x 12		

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK	TALL
DOUBLE							TALL
							
1 m PMMA: 11-2073-10		1 m PMMA: 11-2072-10	1 m PMMA: 11-2071-10	1 m PMMA: 11-2076-10		1 m PMMA: 11-2077-10	1 m PC Fractal: 11-3521-10
1 m PC 2.0: 11-3733-10	1 m PC Fractal: 11-3373-10	1 m PC 2.0: 11-3722-10	1 m PC 2.0: 11-3701-10		1 m PC Fractal: 11-3371-10	1 m PC Fractal: 11-3470-10	

PROFILE LED

PROFILE SILEDA | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

WITH HOLE

WHITE



ALU 12-0641-10

BLACK



ALU 12-0000-21

SILVER / GRAY



ALU 12-0645-10

WITHOUT HOLE

WHITE



ALU 12-0641-11

BLACK



ALU 12-0000-19

SILVER / GRAY



ALU 12-0645-11

2 IN 1

WHITE



ABS 12-1001-01

BLACK



ABS 12-1002-01

SILVER / GRAY



ABS lacq. 12-1005-01

ABS 12-1004-01

SILEDA + TALL COVER

WITH HOLE

WHITE



ALU lacq. 12-2011-10

BLACK



ALU lacq. 12-2012-10

SILVER / GRAY



ALU 12-2015-10

WITHOUT HOLE

WHITE



ALU lacq. 12-2011-11

BLACK



ALU lacq. 12-2012-11

SILVER / GRAY



ALU 12-2015-11

WHITE

BLACK

ACCESSORIES

METAL MOUNTING CLIP SLT




13-0000-02

TOUCHLESS SWITCH



14-7052-00

JOINT BASE



14-6044-02

HINGE



14-6045-00

JOINT SYSTEM - COMPLETE



14-6044-01

STRAIGHT CONNECTOR



14-3032-02

90° CORNER CONNECTOR



14-3030-01

90° CORNER CONNECTOR (PERPENDICULAR)



14-3038-01

120° CORNER CONNECTOR



14-3036-01

135° CORNER CONNECTOR



14-3028-67

3 x 120° CORNER CONNECTOR



14-3028-65

SUSPENSION KIT

WHITE



14-2075-00

BLACK



14-2076-00

SILVER



14-2011-02

CABLE CLIP FOR Ø 5 mm CABLE

TRANSPARENT

14-7067-00

BLACK




14-7067-02

PROFILE LED


PROFILE inSILEDA | GENERAL PRODUCT FAMILY

Recessed architectural profile for ceiling and wall applications, installed in a milled opening. It allows two LED strips to be mounted in parallel. The profile provides an excellent base for custom LED fixtures, both single units and continuous linear lighting systems in a variety of shapes, created with dedicated connectors.

Cross-section and dimensions [mm]




Mounting methods










LED Profiles

Length (mm): 1000, 2020, 3000

	WHITE (PAINTED)	BLACK (PAINTED)	SILVER (ANODIZED)
PROFILE COLORS			
1,0 m	10-0221-10	10-0225-10	10-0224-10
2,02 m	10-0221-20	10-0225-20	10-0224-20
3,0 m	10-0221-30	10-0225-30	10-0224-30
LED STRIP WIDTH (mm)	2 x 12		

Covers (PMMA/PC)

Length (mm): 1000, 2020, 3000

TRANSPARENT	CLEAR	FROSTED	MILKY	FROSTED MILKY	OPAL	BLACK
DOUBLE						
						
1 m PMMA: 11-2073-10		1 m PMMA: 11-2072-10	1 m PMMA: 11-2071-10	1 m PMMA: 11-2076-10		1 m PMMA: 11-2077-10
1 m PC 2.0: 11-3733-10	1 m PC Fractal: 11-3373-10	1 m PC 2.0: 11-3722-10	1 m PC 2.0: 11-3701-10		1 m PC Fractal: 11-3371-10	1 m PC Fractal: 11-3470-10

PROFILE LED

PROFILE inSILEDA | END CAPS & ACCESSORIES | GENERAL PRODUCT FAMILY

End caps (aluminum and plastic)

WITH HOLE		
WHITE	BLACK	SILVER / GRAY
		
ALU 12-0411-10	ALU 12-0000-11	ALU 12-0415-10
		ABS lacq. 12-0975-00
ABS 12-0971-00	ABS 12-1172-00	ABS 12-0974-00

ACCESSORIES

STRAIGHT CONNECTOR	90° CORNER CONNECTOR	90° CORNER CONNECTOR (PERPENDICULAR)	120° CORNER CONNECTOR	135° CORNER CONNECTOR	3 x 120° CORNER CONNECTOR
					
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-3028-67	14-3028-65

MOUNTING SPRING	TOUCHLESS SWITCH	METAL MOUNTING CLIP SLT
		
14-5001-00	14-7052-00	13-0000-02