






Protection against exposure to UV-C radiation.



The task of the inverted RCR motion sensor is to protect people and animals against accidental intrusion into the zone of direct UV-C radiation of the lamp when it is switched on.

When motion is detected (contrary to the standard application of the RCR sensor), the UV-C module is turned off. If there is no motion for a period of 10 minutes (in the specified coverage zone), the UV-C module is turned on again.




Available versions:

Index	UV-C STERILON 36W	UV-C STERILON 72W	UV-C STERILON 108W
240386	+	-	-
240362	-	+	-
240379	-	-	+

Luminaire parameters are given with tolerance permitted by the standard. The manufacturer reserves the right to change the parameters of the product not for the worse, in the course of its improvement, and to make design changes or upgrade the product. Materials presented in the technical data sheet are not a commercial offer. The complete, current offer of Lena Lighting along with current parameters can be found on the manufacturer's website.



Ceiling holder



An accessory which allows for easy and quick mounting of the luminaire to the ceiling, wall or other surface, using a magnetic holder available as a separate accessory (index: 243615 - magnetic holder).

- Material: powder coated steel sheet
- Dimensions: 180x180x12 mm
- Weight: 0.3 kg




Available versions:

Index	UV-C STERILON 36W	UV-C STERILON 72W	UV-C STERILON 108W
243622	+	+	+

Luminaire parameters are given with tolerance permitted by the standard. The manufacturer reserves the right to change the parameters of the product not for the worse, in the course of its improvement, and to make design changes or upgrade the product. Materials presented in the technical data sheet are not a commercial offer. The complete, current offer of Lena Lighting along with current parameters can be found on the manufacturer's website.



Magnetic holder



A functional magnetic holder dedicated to the family of STERILON UV-C luminaires. An accessory which allows the luminaire to be mounted to: metal surfaces and any other surface, after mounting a steel base to it, available as a separate accessory (index: 243615 - ceiling holder).

- Material: powder coated steel sheet, magnetic elements
- Dimensions: 165x165x50 mm
- Weight: 0.6 kg

Available versions:

Index	UV-C STERILON 36W	UV-C STERILON 72W	UV-C STERILON 108W
243615	+	+	+

Luminaire parameters are given with tolerance permitted by the standard. The manufacturer reserves the right to change the parameters of the product not for the worse, in the course of its improvement, and to make design changes or upgrade the product. Materials presented in the technical data sheet are not a commercial offer. The complete, current offer of Lena Lighting along with current parameters can be found on the manufacturer's website.



UV-C protective glasses



Robust and durable protective glasses. They filter 99.9% of UV radiation ranging from 0 to 380. The length can be adjusted in four positions for a better fit and comfort. The side wall of the lenses fully protects the eyesight.

- Material: polycarbonate (PC)
- Lenses with anti-scratch and anti-condensation coating
- Robust design prevents the glasses from being damaged when dropped
- Packaged in a convenient blister
- Holes for hanging a string over the neck



Available versions:

Indeks

243639 - UV-C PROTECTIVE GLASSES

Luminaire parameters are given with tolerance permitted by the standard. The manufacturer reserves the right to change the parameters of the product not for the worse, in the course of its improvement, and to make design changes or upgrade the product. Materials presented in the technical data sheet are not a commercial offer. The complete, current offer of Lena Lighting along with current parameters can be found on the manufacturer's website.